

# Shower in style

Shower Curtains and Accessories

## Stylish and easy bathroom upgrade? You got it.

View our comprehensive collections:



### Vinyl

With its natural water repellence, vinyl offers an easy to maintain curtain solution that holds up against mold and mildew.



### Polyester

Polyester curtains offer the designer look and feel of fabric with the convenience of easy laundering.



### Nylon

Nylon shower curtains are cost-effective and lightweight, with quick delivery to meet your project needs.

#### Spot your ideal shower curtain solution with these selection tips:



6

**Custom shower curtains** are made-to-order. Typical lead time is 21 business days plus shipping pending fabric availability.

#### Stocked shower curtains are stocked in our branches and/ or available on demand. Typical lead time ranges from 3–5 business days plus shipping. Quick-ship shower curtains are

#### available on demand. Typical lead time ranges from 7–10 business days plus shipping.

P

**Traditional shower curtains** use traditional grommets for mounting on track with carriers or a rod with rings.



Hookless shower curtains use hookless ring sets for mounting exclusively on a rod without the use of rings or carriers.

### Why Medline Interiors?

For more than 100 years, we've leveraged our healthcare expertise to introduce cutting-edge textiles that help customers drive efficiency, cost savings, and patient satisfaction, without compromising on aesthetics.

### Accessories

# Sure-Chek

## **Custom Vinyl Collection**

This extra heavy-duty vinyl features an embossed woven pattern, perfect for high-traffic environments.







**Gull Gray** 



**Pewter** 



**Light Blue** Seagrass

Applications	Shower curtain overlay Shower curtain liner
Contents	10-gauge FR vinyl
Width	72"
Repeat	0"V, 0"H
Country of Origin	USA
Orientation	Railroaded or Up the Roll
Shown	Railroaded
Water-Resistant	Yes
Features	Stain-resistant Odor-resistant Static-resistant

#### Antimicrobial Finish\* Yes

\*These antimicrobial properties are built-in to protect the product. This product does not protect users or others against bacteria, viruses, germs or other disease organisms.

#### **ACT Certifications**





Wet and dry crocking

Colorfastness Physical properties to light

#### **Cleaning Instructions**

- Disinfectants: Use a 1:10 dilution of bleach with 5.25% sodium hypochlorite.
- Soils or Stains: Use neutral soap and lukewarm water. Do not use harsh cleansers or detergents.
- Hard-to-Clean Spots: Use standard vinyl cleansers and a soft bristle brush. Presoak heavy, dried-on-soil. Hang Dry.
- Note: Disinfectants applied at full concentration or in highly concentrated solutions will decrease the useful life of the fabric. Lodophor type disinfectants used on the fabric may result in staining.

#### Pricing

\$\$

#### Flammability

Flame-resistant<sup>1</sup>, meets NFPA701

#### Warranty 1 year

1. Data on file.

interiors.medline.com | Contact productsupportinteriors@medline.com for complete product Information.



# Medline 10-Gauge

## Stocked Vinyl Collection

Our traditional shower curtains generally require no change to your current protocols.





#### **Ordering Information**

Item No.	Description	Pkg.
MITSC103672B	10-Gauge Shower Curtain, 36" x 72", Beige	12/cs
MITSC103672W	10-Gauge Shower Curtain, 36" x 72", White	12/cs
MITSC107272B	10-Gauge Shower Curtain, 72" x 72", Beige	12/cs

ApplicationsShower curtain overlay<br/>Shower curtain linerContents10-gauge FR vinylWidth36", 72"Country of OriginIndiaWater-ResistantYesAntimicrobial FinishNoACT Certifications

Flammability Wet and dry crocking Colorfastness Physical properties

#### **Cleaning Instructions**

- **Disinfectants:** Use a 1:10 dilution of bleach with 5.25% sodium hypochlorite.
- **Soils or Stains:** Use neutral soap and lukewarm water. Do not use harsh cleansers or detergents.
- **Hard-to-Clean Spots:** Use standard vinyl cleansers and a soft bristle brush. Presoak heavy, dried-on-soil. Hang Dry.
- Note: Disinfectants applied at full concentration or in highly concentrated solutions will decrease the useful life of the fabric. Lodophor type disinfectants used on the fabric may result in staining.

#### Pricing

\$\$

**Flammability** flame resistant

Warranty 1 year

1. Data on file.

interiors.medline.com | Contact productsupportinteriors@medline.com for complete product Information.



# **Spring Shower**

## Quick-Ship Vinyl Collection

These heavy-duty vinyl shower curtains pair an embossed stripe pattern with classic colorways to meet most any need.





White

#### Beige

#### **Ordering Information**

ltem No.	Description	Pkg.
SSQ36X72BGE	Spring Shower Curtain, 36" x 72", Beige	1 ea
SSQ36X72WHI	Spring Shower Curtain, 36" x 72", White	1 ea
SSQ72X72BGE	Spring Shower Curtain, 72" x 72", Beige	1 ea
SSQ72X72WHI	Spring Shower Curtain, 72" x 72", White	1 ea

2. Data on file.

interiors.medline.com | Contact productsupportinteriors@medline.com for complete product Information.



Applications	Shower curtain overlay Shower curtain liner
Contents	8-gauge vinyl
Width	36", 72"
Country of Origin	Mexico
Water-Resistant	Yes
Antimicrobial Finish	No

to light

Flammability

Wet and dry crocking

Colorfastness Physical properties

### **Cleaning Instructions**

- Machine wash in cold water (not exceeding 105°F)
- Tumble dry low (not exceeding 140°F), remove promptly
- Do not bleach
- Do not dry clean

### Pricing

\$\$

**Flammability** flame resistant

Warranty 1 year

# Raindrop

## Quick-Ship Vinyl Collection

With their signature hookless header, these heavy-weight shower curtains combine the durability of vinyl with easy change-out protocols, ideal for most any healthcare environment.



#### White

#### Beige

#### **Ordering Information**

ltem No.	Description	Pkg.
SHWRP71X74WHT	Raindrop Hookless Shower Curtain, 71" x 74", White	12/cs
SHWRP71X74BGE	Raindrop Hookless Shower Curtain, 71" x 74", Beige	12/cs
SHWRP71X80WHT	Raindrop Hookless Shower Curtain, 71" x 80", White	12/cs
SHWRP42X74BGE	Raindrop Hookless Shower Curtain, 42" x 74", Beige	12/cs

interiors.medline.com | Contact productsupportinteriors@medline.com for complete product Information.



Shower curtain overlay No liner needed 8-gauge vinyl 42", 71" China
42", 71" China
China
Yes
No
<ul> <li>Compatible with shower rods 1" in diameter only</li> <li>Magnet-weighted bottom hem</li> </ul>

#### **Cleaning Instructions**

- Machine wash warm with like colors, gentle cycle
- Tumble dry low
- Iron on lowest setting as needed
- Daily Care: Shake off water and let hang freely outside of tub—not sticking to wall or tub—and allow to air dry

#### Pricing

\$\$

Warranty

1 year

# Rain

## Quick-Ship Vinyl Collection

These economical, 1/2" double-turn hem shower curtains feature an embossed taffeta pattern so you can meet design intent with a vinyl solution while balancing budget.



Applications	Shower curtain overlay Shower curtain liner
Contents	6-gauge vinyl
Width	36", 72"
Country of Origin	Mexico
Water-Resistant	Yes
Antimicrobial Finish	No
ACT Certifications	
	2

Flammability

Wet and dry crocking

Colorfastness Physical properties to light

MEDLINE

#### **Cleaning Instructions**

- Machine wash in cold water (not exceeding 105°F)
- Clean with mild soap only
- Tumble dry low (not exceeding 140°F) remove promptly
- Do not bleach
- Do not dry clean
- Harsh chemicals or fabric softener should never be used in the laundering process

#### Pricing

\$\$

Warranty 1 year

#### **Ordering Information**


Item No.	Description	Pkg.
RAQ36X72*	Rain Shower Curtain, 36" x 72"	1ea
RAQ72X72*	Rain Shower Curtain, 72" x 72"	1ea

\*Add color code to end of item number when ordering.

# **Shower Shield**

### **Custom Polyester Collection**

This 100% polyester, basket-weave pattern combines the look and feel of fabric with the benefits of water-repellency for optimum performance.





Applications	Shower curtain overlay Shower curtain liner
Contents	100% polyester
Width	36", 72"
Repeat	0"V, 0"H
Country of Origin	USA
Orientation	Railroaded or Up the Roll
Shown	Railroaded
Water Repellent	Yes
Antimicrobial Finish	No
ACT Certifications	





to light



#### **Cleaning Instructions**

- Use synthetic detergent
- Wash in water no hotter than 140°F-160°F
- Tumble dry on medium heat 105°F to 120°F max
- Dry for 3–5 minutes
- Pull fabric out before it becomes too hot
- Do not use chlorine bleach or fabric softeners

#### Pricing

\$\$

Flammability Flame resistant<sup>2</sup>

Warranty 1 year

2. Data on file.

interiors.medline.com | Contact productsupportinteriors@medline.com for complete product Information.

## **Shower Guard**

## **Custom Polyester Collection**

With its satin-box weave, Shower Guard offers an elevated look and feel in a fabric curtain option.





Applications	Shower curtain overlay
Contents	100% polyester
Width	36", 72"
Repeat	0"V, 0"H
Country of Origin	USA
Orientation	Railroaded or Up the Roll
Shown	Railroaded
Water Repellent	Yes
Antimicrobial Finish	No
ACT Certifications	







Colorfastness dry crocking to light

### Physical properties

#### **Cleaning Instructions**

- Cleans easily with soap and water
- Wash with warm or cold cycle
- Temperature not to exceed 120°F
- Tumble dry low
- Do not bleach
- Do not dry clean
- Harsh chemicals or fabric softener should never be used in the laundering process

#### Pricing

\$\$

Warranty 1 year

# **Shower Mist**

### **Custom Polyester Collection**

With clean lines and modern colorways, Shower Mist's linear texture is an ideal solution for contemporary room environments without sacrificing performance.





Fog

Halo

Scone



Applications	Shower curtain overlay Shower curtain liner
Contents	100% polyester
Width	72"
Country of Origin	USA
Repeat	0.06" V, 1" H
Water Repellent	Yes
Antimicrobial Finich*	Voc

Antimicrobial Finish\* Yes

\*These antimicrobial properties are built-in to protect the product. This product does not protect users or others against bacteria, viruses, germs or other disease organisms.

#### **ACT Certifications**







Wet and dry crocking to light

Colorfastness Physical properties

#### **Cleaning Instructions**

- · Cleans easily with soap and water
- Wash with warm or cold cycle
- Temperature not to exceed 120°F
- Tumble dry low
- Do not bleach
- Do not dry clean
- · Harsh chemicals or fabric softener should never be used in the laundering process

Pricing \$\$

Warranty 1 year

# Raindance

## Quick-Ship Polyester Collection

These hookless curtains feature a sheer window which pulls light into the shower for a feeling of space and security.





White

Beige

#### **Ordering Information**

Item No.	Description	Pkg.
SHWRD42X74BG	Raindance Shower Curtain, 42" x 74", Beige	12/cs
SHWRD71X74WHT	Raindance Shower Curtain, 71" x 74", White	12/cs
SHWRD71X74BG	Raindance Shower Curtain, 71" x 74", Beige	12/cs

interiors.medline.com | Contact productsupportinteriors@medline.com for complete product Information.



Applications	Shower curtain overlay No liner needed
Contents	100% polyester
Width	42", 74"
Country of Origin	China
Water-Resistant	Yes
Antimicrobial Finish	No
Other Characterisics	<ul> <li>Compatible with shower rods 1" in diameter only</li> <li>Magnet-weighted bottom hem</li> </ul>

#### **Cleaning Instructions**

- Machine wash warm with like colors, gentle cycle
- Tumble dry low
- Iron on lowest setting as needed
- Daily Care: Shake off water and let hang freely outside of tub—not sticking to wall or tub—and allow to air dry

#### Pricing

\$\$

Warranty 1 year

# Rainshadow

## Quick-Ship Polyester Collection

Hookless curtains with a subtle woven pattern that add a contemporary feel to any bathing environment.





White



#### **Ordering Information**

Item No.	Description	Pkg.
SHWRS71X74WHT	Rainshadow Shower Curtain, 71" x 74", White	12/cs
SHWRS71X74BG	Rainshadow Shower Curtain, 71" x 74", Beige	12/cs
SHWRS42X74WHT	Rainshadow Shower Curtain, 42" x 74", White	12/cs
SHWRS42X74BG	Rainshadow Shower Curtain, 42" x 74", Beige	12/cs
SHWRS71X80BG	Rainshadow Shower Curtain, 71" x 80", Beige	12/cs

Applications Shower curtain overlay No liner needed Contents 100% polyester Width 42", 71" **Country of Origin** China Water-Resistant Yes **Antimicrobial Finish** No Other · Compatible with shower Characterisics rods 1" in diameter only Magnet-weighted bottom hem

#### **Cleaning Instructions**

- Machine wash warm with like colors, gentle cycle
- Tumble dry low
- Iron on lowest setting as needed
- Daily Care: Shake off water and let hang freely outside of tub—not sticking to wall or tub—and allow to air dry

Pricing

\$\$

Warranty 1 year



# **Spray**

## **Quick-Ship Nylon Collection**

This economic shower curtain is made of durable 100% nylon and features a sewn eyelet header.





White

Beige

#### **Ordering Information**

Item No.	Description	Pkg.
SPQ36X72WHI	Spray Shower Curtain, 36" x 72", White	1/ea
SPQ72X72WHI	Spray Shower Curtain, 72" x 72", White	1/ea
SPQ72X72BEI	Spray Shower Curtain, 36" x 72", Beige	1/ea

Applications		Shower curtain overlay Shower curtain liner	
Contents	1	00% nylon	
Width	3	6", 72"	
Country of O	rigin M	1exico	
Water-Resist	t <b>ant</b> Y	es	
Antimicrobia	I Finish N	0	
ACT Certifica	tions		
	0	*	X
Flammability	Wet and dry crocking	Colorfastness to light	Physical properties

MEDLINE

#### **Cleaning Instructions**

- Machine wash in warm water (not exceeding 120°F)
- Tumble dry low (not exceeding 140°F), remove promptly
- Do not bleach
- Do not dry clean
- Whites and colors should not be washed together

#### Pricing

\$

Warranty

1 year

# **Stocked options**

### **Disposable Shower Curtains**

Get the look of a reusable, with the convenience of a disposable.



#### **Ordering Information**

Item No.	Description	Pkg.
SCD36X90WHI	Disposable Shower Curtain, 36" x 90", White	24 / cs
SCD72X90WHI	Disposable Shower Curtain, 72" x 90", White	24 / cs

**Need a different height?** We offer cut down services at no charge. Please reach out to your Medline representation for more details.

**Note:** Cut-down services cannot be requested on orders placed through customer service or Medline.com.

Applications	<ul> <li>Shower curtain overlay</li> <li>Shower liner</li> <li>Temporary replacement while reusable curtains are being laundered</li> <li>For areas where there is an elevated risk of infectior</li> <li>Emergency curtains when inventory is depleted</li> </ul>
Width	36", 72"
Country of Origin	China
Water-Resistant	Yes
Pricing	

\$

**Warranty** 1 year



# **Specialty options**

## Hidden Hookless Shower Curtains

Medline's Hidden Hookless shower curtains hang in seconds because there are no rings to deal with—all you do is slide the curtain onto the shower rod. The shower rods are hidden from view (outside the shower tub/stall) by the fabric chosen.

- Hidden Hookless shower curtain ring sets will work with shower rods 1" in diameter only
- Contact your Medline Representative for color and pattern options



## Behavioral Health Shower Curtains

We offer multiple solutions to meet your behavioral health shower curtain needs, including hook-andloop headers, vision windows, and more. All solutions are custom made-to-order using the custom fabric options in this brochure. Contact your Medline Representative for more details.



#### **Hook and Loop Header**

- 1" or 2" "loop" side header engages with 3/4" wide "hook" side safety tabs in the breakaway track
- No metal grommets or header components
- Can be configured with or without mesh to meet fire code requirements

Not compatible with standard privacy curtain track carriers or nylon breakaway carriers.



#### **Breakaway Assembly**

- Standard metal grommet header assembly
- Configured with mesh to meet fire code requirements
- 2" hook-and-loop strip connects to the bottom of the mesh header with the top of the fabric portion of the curtain. When under pressure, the curtain panel detaches or "breaks away," leaving the mesh in place
- Uses standard privacy curtain track carriers or nylon breakaway carriers

Not compatible with "hook" safety tabs.



#### Window Shower Curtain

- Customizable header (standard metal grommets or hook-and-loop strip)
- Vision window(s) with solid middle panel allow for visual verification of patient safety without sacrificing privacy
- Custom made-to-order using the custom fabrics in this brochure as well as clear vinyl options
- Can be configured with our without mesh to meet fire code requirements

# More specialty options

The following options can be integrated with almost all shower curtain styles in this catalog. Ask your Medline Representative about design and ordering information.


#### Mesh

Some facilities require mesh to be used in shower stalls to meet certain fire code regulations. Mesh can be added to the top of any shower curtain, in 2" increments from 4–40" and finished with grommets or hook-and-loop. Contact your Medline Representative for details.

#### **Chain Weights**

Chain Weights are sewn into the hem to help curtains remain in position and improve the hang for a classic look.





# **Shower Curtain Accessories**

## Shower Rings and Hooks

Choose plastic rings, steel snap hooks or wire hooks with ball bearings to complement your décor.

#### **Ordering Information**

Item No.	Description	Pkg.
MCDKA9100C	Clear Plastic Shower Curtain Ring	1 dz
MCDKA9100W	White Plastic Shower Curtain Ring	1 dz
MCDCKA9100B	Beige Plastic Shower Curtain Ring	1 dz
MCDKA2000	Snap Pin Shower Curtain Hooks, for 1.5" Rod	1 dz
MCDKA151	Wire Shower Curtain Hooks with 4 Rollers, for 1" Rod	1 dz
MCDKA256	Wire Shower Curtain Hooks with 5 Rollers, for 1.5" Rod	1 dz
MCD114130C	Shower Curtain Carriers for Track System	1ea

MOQ/small order fees apply.



## **Shower Curtain Accessories**

### Shower Rods

Medline offers a wide variety of shower curtain rods, including stationary, tension and curved styles. We can also supply your facility with custom-sized aluminum rods.

#### **Tension Rods**

Create a custom shower with these rust-resistant tension shower rods. These adjustable rods extend up to 72" and are designed for easy installation and mounting.

ltem No.	Description	Pkg.
KACTR2440C	Tension Shower Rod, 24"–40"	6/cs
KACTR4272	Tension Shower Rod, 42"–72"	6/cs

#### **Track with Carriers**

Durable, easy-to-install track system for smooth operation. Available in sizes from 12" to 108" wide. Includes carriers.

ltem No.	Description	Pkg.
SUP3FTSTR	Track System, 36" Wide	1 ea
SUP6FTSTR	Track System, 72" Wide	1 ea

\*For additional sizes, please contact your Medline Representative.



Our stationary rods are constructed of 1" seamless aluminum tubing. Custom sizes are available.

Item No.	Description	Pkg.
IFC70R3FT*	Stationary Shower Rod, 36" Wide	1 ea
IFC70R4FT*	Stationary Shower Rod, 48" Wide	1 ea
IFC70R5FT*	Stationary Shower Rod, 60" Wide	1 ea
IFC70R6FT*	Stationary Shower Rod, 72" Wide	1 ea
IFC70R7FT*	Stationary Shower Rod, 84" Wide	1 ea
IFC70R8FT*	Stationary Shower Rod, 96" Wide	1 ea
IFC70R9FT*	Stationary Shower Rod, 108" Wide	1 ea
IFC71B	Wall Mount Brackets	1 pr

\*Brackets and screws not included. To purchase, order IFC71B.

IFC70R3FT





## General Measuring Tips and Instructions

### Do's and Don'ts


- Do always measure every shower opening, ceiling or track that requires curtains. Although the openings may look the same size, they may be a little different.
- 2 Do use a 1" steel measuring tape.
- **3** Do list "width" first and "height" second with giving measurements (e.g., 67"W x 90"H).
- 4 Do round your measurements up and use the appropriate increment. Measure to the nearest inch.
- **5** Do record all important information regarding hardware when having a product made to fit an existing rod or track.
- On't measure only the curtain when ordering replacements. It's not uncommon that after laundering, the curtains would be installed in the wrong showers or that the product installed is not the ideal fit for the space.
- **7** Don't approve a mock-up sample without installing it.
- 8 Do contact product support for help when needed.



### **Installation Options**


Choose from these two installation options when ordering:

### **Shower Rod Install**



- Measure from bottom of rod to where you want the curtain to end = Bottom of rod to bottom of curtain
- 2 Indicate diameter of rod—normally 1"
- 3 Things to note:
  - Is there a curb?
  - Do you want the bottom of the curtain to hit the floor or the top of the curb?
- 4 Measure opening width

### **Track Install**



- 1 Measure floor to ceiling height
- 2 Measure opening width
- 3 Things to note:
  - How much floor clearance do you need?
  - Is there a curb?
  - Do you want your curtain to touch the floor, or do you want any clearance?

**Note:** Hidden Hookless and Hookless curtains have additional fabric above the ringset which adds to the required curtain length. Please contact Product Support for questions on how to measure Hookless or Hidden Hookless shower curtains.

## Professional Design Services

Our product managers and project managers work with you from start to finish, creating livable spaces that enhance comfort and satisfaction.

We have everything you need

Whether it's color ideas, installation, or a complete room makeover, our team can help. Contact **productsupportinteriors@medline.com** or your Medline Representative.

### Call 1-800-MEDLINE or visit interiors.medline.com to learn more.



#### Medline Industries, LP

Three Lakes Drive, Northfield, IL 60093 Medline United States | 1-800-MEDLINE (633-5463) medline.com | info@medline.com

#### Medline Canada

Follow us 🛉 in 💆 💵 🕫

1-800-268-2848 | medline.ca | canada@medline.com Medline México 01-800-831-0898 | medlinemexico.com | mexico@medline.com

1. Data on file. 2. Data on file. Some products may not be available for sale in Mexico or Canada. We reserve the right to correct any errors that may occur within this brochure. © 2023 Medline Industries, LP. All rights reserved. Medline is a registered trademark of Medline Industries, LP. MKT19W4247164 / LIT578 / 92